

DARDEN ARCHITECTS PAINT PRODUCT CROSS REFERENCE - REV. 03/03/20

DA SUBSTRATES / PAINT SYMBOLS+A2	MPI#	PPG PAINTS Peg Collins peg.collins@ppg.com			KELLY-MOORE Eric Patricio epatricio@kellymoore.com		
---	-------------	--	--	--	---	--	--

1. 12/12 - PPG PAINTS has purchased GLIDDEN PROFESSIONAL in North America.
2. 12/12 - SHERWIN WILLIAMS is purchasing the COMEX GROUP (FRAZEE, KWAL and PARKER PAINT), but the note is the same as above regarding the company and product listings. Frazee was removed 05/21/2018.
3. 12/12 - BENJAMIN MOORE and VISTA PAINTS are affiliated - many BENJAMIN MOORE paints are sold out of the VISTA PAINT stores, including OSH too (at least through this year).
4. 02/13 - TNEMEC declined to participate, as their line is HIGH PERFORMANCE COATINGS, and not "Trade Paint" - their term.

EXTERIOR PAINT FINISHES

EXTERIOR PAINT FINISHES							
EXTERIOR WOOD							
EW-1 FLAT 100% ACRYLIC		5.5 mils ODFT		5.5 mils ODFT			
ACRYLIC PRIMER-SEALER	MPI# 39	6001		255			
100% ACRYLIC FINISH		2200G		1200			
100% ACRYLIC FINISH		2200G		1200			
EW-2 SEMI-GLOSS 100% ACRYLIC		5.9 mils ODFT		5.9 mils ODFT			
ACRYLIC PRIMER-SEALER	MPI# 39	6001		255			
100% ACRYLIC SEMI-GLOSS FINISH		2406G		1250			
100% ACRYLIC SEMI-GLOSS FINISH		2406G		1250			
EW-3 100% ACRYLIC RESIN (A/R) STAIN		3.0 mils ODFT		3.0 mils ODFT			
100% A/R STAIN COAT		FLOOD SWF		1240			
100% A/R STAIN COAT		FLOOD SWF		1240			
SOFFIT BOARD							
ESB-1 LO-SHEEN 100% ACRYLIC RESIN (A/R) - HEAVY STIPPLE		5.9 mils ODFT		5.9 mils ODFT			
ACRYLIC PRIMER-SEALER	MPI# 39	6001		250			
100% A/R FINISH HEAVY STIPPLE	-	2406G		-			
100% A/R LO-SHEEN FINISH	-	2406G		1245			
CEMENT PLASTER							
EP-1 FLAT 100% ACRYLIC		5.5 mils ODFT		5.5 mils ODFT			
ACRYLIC PRIMER-SEALER	MPI# 39	6001		247			
100% ACRYLIC FLAT FINISH	-	2200G		1200			
100% ACRYLIC FLAT FINISH	-	2200G		1200			
EP-2 SEMI-GLOSS 100% ACRYLIC		9.5 mils ODFT		9.5 mils ODFT			
ACRYLIC PRIMER-SEALER	MPI# 39	6001		247			
100% ACRYLIC SEMI-GLOSS FINISH	-	2200G		1250			
100% ACRYLIC SEMI-GLOSS FINISH	-	2200G		1250			
EP-3 GLOSS EPOXY		9.7 mils ODFT		9.7 mils ODFT			
ACRYLIC PRIMER-SEALER	MPI# 39	6001		247			
EPOXY GLOSS FINISH	-	90-1310		DEVCRY1 1449			
EPOXY GLOSS FINISH	-	90-1310		DEVCRY1 1449			

DARDEN ARCHITECTS PAINT PRODUCT CROSS REFERENCE - REV. 03/03/20

DA SUBSTRATES / PAINT SYMBOLS+A2	MPI#	PPG PAINTS Peg Collins peg.collins@ppg.com			KELLY-MOORE Eric Patricio epatricio@kellymoore.com			
EP-4 SMOOTH ELASTOMERIC + LO SHEEN ACRYLIC/RESIN (A/R)		11.0 mils ODFT			11.0 mils ODFT			
ACRYLIC PRIMER-SEALER	MPI# 39	6001			247			
ELASTOMERIC FINISH (Spray & Backroll)	-	4-110			1119			
100% ACRYLIC SATIN FINISH	-	2402G			1245			
EP-5 FINE SAND ELASTOMERIC + SEMI GLOSS ACRYLIC/RESIN (A/R)		9.6 mils ODFT			-			
ACRYLIC PRIMER	MPI# 39	6001			247			
ELASTOMERIC FINISH (Spray & Backroll)	-	4-1310			N/A			
100% ACRYLIC SEMI-GLOSS FINISH	-	2406G			N/A			
EP-6 COARSE ELASTOMERIC + SEMI GLOSS ACRYLIC/RESIN (A/R)		16.8 mils ODFT			-			
ACRYLIC PRIMER		6001			247			
ELASTOMERIC FINISH (Spray & Backroll)	-	2290			N/A			
100% ACRYLIC SEMI-GLOSS FINISH	-	2406G			N/A			
CONCRETE OR CONCRETE MASONRY UNITS								
ECB-1 CLEAR WATER REPELLENT SEALER		"EVONIC DEGUSSA"			"EVONIC DEGUSSA"			
SILOXANE	-	AQUA-TRETE CONCENTRATE			AQUA-TRETE CONCENTRATE			
ECB-2 FLAT 100% ACRYLIC		10.9 mils ODFT			10.9 mils ODFT			
ACRYLIC BLOCK FILLER	-	6-7 BLOCK FILL			521			
100% ACRYLIC FLAT FINISH	-	2200G			1200			
100% ACRYLIC FLAT FINISH	-	2200G			1200			
ECB-3 FLAT 100% ACRYLIC		10.9 mils ODFT			10.9 mils ODFT			
ACRYLIC PRIMER-SEALER	MPI# 39	6001			247			
100% ACRYLIC FLAT FINISH	-	2200G			1200			
100% ACRYLIC FLAT FINISH	-	2200G			1200			
METAL PRIMERS:								
					KELLY MOORE / AMERLOCK			
FERROUS METAL-TYPE 1	MPI# 134	DEVFLEX 4020 "RED" - 3.0 mils			5725			
FERROUS METAL-TYPE 2	-	AMERLOCK 2 VOC/68HS - 5.0 mils			AMERLOCK 2 VOC/68HS - 5.0 mils			
FERROUS METAL-TYPE 3 - when urethane is used as a finish.	-	AMERLOCK 2 VOC/68HS - 5.0 mils			AMERLOCK 2 VOC/68HS - 5.0 mils			

DARDEN ARCHITECTS PAINT PRODUCT CROSS REFERENCE - REV. 03/03/20

DA SUBSTRATES / PAINT SYMBOLS+A2	MPI#	PPG PAINTS Peg Collins peg.collins@ppg.com			KELLY-MOORE Eric Patricio epatricio@kellymoore.com			
GALVANIZED METAL OR ALUMINUM-TYPE 4	MPI# 134	DEVFLEX 4020 "WHITE" 3.0 mils			5725			
GALVANIZED METAL OR ALUMINUM-TYPE 5 - when urethane is used as a finish.	-	AMERLOCK 2 VOC/400VOC - 6.0 mils			AMERLOCK 2 VOC/400VOC - 6.0 mils			
EM-1 FLAT 100% ACRYLIC		6.8 MILS ODFT			6.8 MILS ODFT			
PRIMER	See Primers Above	See Primers Above			See Primers Above			
100% ACRYLIC FLAT FINISH	-	2200G			1200			
100% ACRYLIC FLAT FINISH	-	2200G			1200			
EM-2 SEMI-GLOSS 100% ACRYLIC		7.2 MILS ODFT			7.2 MILS ODFT			
PRIMER	See Primers Above	See Primers Above			See Primers Above			
ACRYLIC SEMI-GLOSS FINISH	-	2406G			1250			
ACRYLIC SEMI-GLOSS FINISH	-	2406G			1250			
EM-3 GLOSS 100% ACRYLIC WATERBORNE		11.0 MILS ODFT			11.0 MILS ODFT			
PRIMER	See Primers Above	See Primers Above			See Primers Above			
ACRYLIC GLOSS FINISH	-	90-1310			DEVCRY1 1449			
ACRYLIC GLOSS FINISH	-	90-1310			DEVCRY1 1449			
EM-4 GLOSS ALIPHATIC ACRYLIC URETHANE (A/A/U)		16.0 MILS ODFT			16.0 MILS ODFT			
PRIMER	See Primers Above	See Primers Above			KM-15			
A/A/U GLOSS COLOR FINISH	MPI# 83	AMERSHIELD VOC			AMERSHIELD VOC			
A/A/U GLOSS COLOR FINISH	MPI# 83	AMERSHIELD VOC			AMERSHIELD VOC			
	-	-			-			
EM-5 A/A/U GLOSS HIGH SOLIDS		18.0 MILS ODFT			18.0 MILS ODFT			
PRIMER	See Primers Above	See Primers Above			See Primers Above			
HIGH SOLID GLOSS COLOR FINISH	MPI# 83	AMERSHIELD VOC			AMERSHIELD VOC			
HIGH SOLID GLOSS COLOR FINISH	MPI# 83	AMERSHIELD VOC			AMERSHIELD VOC			
HIGH SOLID GLOSS COLOR FINISH	MPI# 83	AMERSHIELD VOC			AMERSHIELD VOC			
HIGH SOLID GLOSS COLOR FINISH	MPI# 83	AMERSHIELD VOC			AMERSHIELD VOC			
EM-6 SEMI-GLOSS ALIPATHIC URETHANE (A/U)		16.0 MILS ODFT			DEVOE 16.0 mils ODFT			
PRIMER	See Primers Above	See Primers Above			DEVOE 235V			
A/A/U SEMI-GLOSS COLOR FINISH	-	AMERCOAT 450HSG			DEVOE 378H			
A/A/U SEMI-GLOSS COLOR FINISH	-	AMERCOAT 450HSG			DEVOE 378H			
SPECIALTY PAINT FINISHES								
LINES ON CONCRETE OR ASPHALTIC CONCRETE PAVING EXIT AND ENTRANCE SIGNS - 10" WIDTH LINES, MAXIMUM.								
X-1		15.0 MILS ODFT			15.0 MILS ODFT			
TRAFFIC PAINT	-	ENNIS-FLINT Traffic Paint			1472			

DARDEN ARCHITECTS PAINT PRODUCT CROSS REFERENCE - REV. 03/03/20

DA SUBSTRATES / PAINT SYMBOLS+A2	MPI#	PPG PAINTS Peg Collins peg.collins@ppg.com			KELLY-MOORE Eric Patricio epatricio@kellymoore.com			
LINES ON WALK TOP								
X-2		15.0 MILS ODFT			15.0 MILS ODFT			
LINE PAINT	-	ENNIS-FLINT Traffic Paint			1472			
SPACE ABOVE VENTS OR GRILLES								
X-3		1.9 MILS ODFT			1.9 MILS ODFT			
100% ACRYLIC FLAT BLACK	-	2200G			1240-407			
PIPING - BLACK STEEL OR CAST IRON								
X-4		5.1 MILS ODFT			5.1 MILS ODFT			
PRIMER	MPI# 23	DEVFLEX 4020 "RED" 3.0 mils			DEVPRIME 1405			
ACRYLIC GLOSS FINISH	-	2406G 2.1 mils			DEVCRY1 1449			
PIPING - GALVANIZED								
X-5		7.0 MILS ODFT			7.0 MILS ODFT			
PRIMER	MPI# 23+B124	DEVFLEX 4020 "White" 3.0 mils			5725			
ENAMEL GLOSS FINISH	MPI# 119	PITT-TECH PLUS 90-1310 4.0 mils			DEVCRY1 1449			
MACHINERY AND EQUIPMENT - COIL COATED PRODUCTS								
X-6		11.0 MILS ODFT			11.0 MILS ODFT			
PRIMER	See EM Primers Note	DEVFLEX 4020 "White" 3.0 mils			See EM Primers Note			
GLOSS ENAMEL FINISH	MPI# 119	PITT-TECH PLUS 90-1310 4.0 mils			DEVCRY1 1449			
GLOSS ENAMEL FINISH	MPI# 119	PITT-TECH PLUS 90-1310 4.0 mils			DEVCRY1 1449			
SHEET METAL DUCTS								
X-7		7.0 MILS ODFT			7.0 MILS ODFT			
PRIMER	See EM Primers Note	DEVFLEX 4020 "White" 3.0 mils			5725			
GLOSS ENAMEL FINISH	MPI# 119	PITT-TECH PLUS 90-1310 4.0 mils			DEVCRY1 1449			
FIRE HYDRANTS								
X-8		7.0 MILS ODFT			7.0 MILS ODFT			
PRIMER	See EM Primers Note	DEVFLEX 4020 "White" 3.0 mils			5725			
GLOSS ENAMEL FINISH	MPI# 119	PITT-TECH PLUS 90-1310 4.0 mils			DEVCRY1 1449			
MISCELLANEOUS - LOUVERS, GRILLES, ACCESS PANELS.								
X-9		6.8 MILS ODFT			6.8 MILS ODFT			
PRIMER	See EM Primers Note	DEVFLEX 4020 "White" 3.0 mils			1710			
100% ACRYLIC FLAT FINISH	-	2200G			1200			
100% ACRYLIC FLAT FINISH	-	2200G			1200			

DARDEN ARCHITECTS PAINT PRODUCT CROSS REFERENCE - REV. 03/03/20

DA SUBSTRATES / PAINT SYMBOLS+A2	MPI#	PPG PAINTS Peg Collins peg.collins@ppg.com			KELLY-MOORE Eric Patricio epatricio@kellymoore.com			
STRIPPING UNDER ACOUSTICAL BOARD SURROUNDING STRUCTURE								
X-10		1.9 MILS ODFT			1.9 MILS ODFT			
100% ACRYLIC FLAT BLACK	-	2200G			1240-407			
ACOUSTICAL BOARD AND EXPOSED STRIPPING								
X-11		1.9 MILS ODFT						
100% ACRYLIC FLAT BLACK	-	2200G			1240-407			
GRAFFITI COATING - CLEAR COATING (SACRIFICIAL.)								
X-12		ALL COATINGS BY "VISUAL POLLUTION TECH, INC." - Bruce Feit vispol@aol.com			"THIS STUFF WORKS" - TSW			
GRAFFITI COATING	-	"GRAFFITI-PRUF"			TSW4			
GRAFFITI COATING	-	"GRAFFITI-PRUF"			TSW4			
GRAFFITI COATING - CLEAR COATING (NON-SACRIFICIAL.)								
X-13 - (NOT APPLICABLE)								
					-			
					-			
GRAFFITI COATING - COLORED COATING (NON-SACRIFICIAL.)								
X-14 - (NOT APPLICABLE)								
					-			
					-			
GRAFFITI COATING - CLEAR COATING (NON-SACRIFICIAL), NON-TOXIC, ONE COAT.								
X-15		BASF						
CLEAR NON-TOXIC SEALER	-	TAG GUARD	-		-			
REMOVAL COAT	-	TAG GUARD	-		-			
GRAFFITI COATING - CLEAR COATING (NON-SACRIFICIAL), NON-TOXIC.								
X-16		EVONIK DEGUSSA CORPORATION			EVONIK DEGUSSA CORPORATION			

DARDEN ARCHITECTS PAINT PRODUCT CROSS REFERENCE - REV. 03/03/20

DA SUBSTRATES / PAINT SYMBOLS+A2	MPI#	PPG PAINTS Peg Collins peg.collins@ppg.com			KELLY-MOORE Eric Patricio epatricio@kellymoore.com			
CLEAR COAT, ZERO VOC, FLUOROSILANE MIXTURE IN WATER	-	"Protectosil Antigraffiti" - Diluted 14:1	-		"Protectosil Antigraffiti" - Diluted 14:1			
CLEAR COAT, ZERO VOC, FLUOROSILANE MIXTURE IN WATER	-	"Protectosil Antigraffiti" - Undiluted	-		"Protectosil Antigraffiti" - Undiluted			
CLEAR COAT, ZERO VOC, FLUOROSILANE MIXTURE IN WATER	-	"Protectosil Antigraffiti" - Undiluted	-		"Protectosil Antigraffiti" - Undiluted			
REMOVAL PRODUCT	-	AS RECOMMENDED BY MANUFACTURER	-		AS RECOMMENDED BY MANUFACTURER			
GRAFFITI COATING - CLEAR COATING (NON-SACRIFICIAL), NON-TOXIC.								
X-17		EVONIK DEGUSSA CORPORATION			EVONIK DEGUSSA CORPORATION			
CLEAR COAT, 100 PERCENT ACTIVE SILANE TREATMENT WITH OLEOPHOBIC ADDITIVE	-	"Protectosil BHN PLUS"	-		"Protectosil BHN PLUS"			
REMOVAL PRODUCT	-	AS RECOMMENDED BY MANUFACTURER	-		AS RECOMMENDED BY MANUFACTURER			
GRAFFITI COATING - CLEAR COATING (NON-SACRIFICIAL), NON-TOXIC.								
X-18		"THIS STUFF WORKS" - TSW			"THIS STUFF WORKS" - TSW			
CLEAR SEMI-GLOSS ACRYLIC FINISH, LOW VOC	-	TSW4	-		TSW4			
CLEAR SEMI-GLOSS ACRYLIC FINISH, LOW VOC	-	TSW4	-		TSW4			
CLEAR SEMI-GLOSS ACRYLIC FINISH, LOW VOC	-	TSW4	-		TSW4			
CLEAR SEMI-GLOSS ACRYLIC FINISH, LOW VOC	-	TSW4	-		TSW4			
REMOVAL KIT	-	TSW2G AS RECOMMEDNED BY MANUFACTURER UP TO A DOZEN TIMES	-		TSW2G AS RECOMMEDNED BY MANUFACTURER UP TO A DOZEN TIMES			